New Zealand Department of Agriculture.

THE NEW ZEALAND JOURNAL OF AGRICULTURE.

VOL. XX.

(JANUARY-JUNE, 1920.)

Published by direction of
The Hon. W. NOSWORTHY,
Minister of Agriculture.

IMPERIAL BUREAU OF MYCOLOGY
26 NOV. 1921

Editor: R. H. HOOPER.

WELLINGTON.
BY AUTHORITY: MARCUS F. MARKS, GOVERNMENT PRINTER.
1920.

THE NEW ZEALAND

JOURNAL OF AGRICULTURE.

VOLUME XX.

(January–June, 1920.)

GENERAL INDEX.

A.

Abscess on knee, cow with serous, 330.
Advice to farmers on lime-development, 155.
Agricultural shows, forthcoming, 35, 133, 196, 263, 333, 388.
Agriculture, Board of, 272.
Aluminium honeycombs, 118.
America and Europe, milk-products in, 97.
America, fruit trade with North, 269.
America, the fruit industry of North—
Co-operation and standardization, 24.
Points in apple-culture and orchard practice, 110.
Answers to inquiries, 59, 134, 193, 262, 330, 389.
Apiary, the (monthly notes), 54, 129, 186, 257, 322, 384.
Apples to Honolulu, export of, 64.
Apples, home storage of, 134.
Apricot-trees, controlling top-growth of, 195.
Argentina, testing for tuberculosis of cattle imported into, 388.
Arsenite-of-lime spray, 262.
Avonhead, bee-culture at, 119.

B.

Bee-culture at Avonhead, 119.
Bee-fodder, horse-beans for, 331
Bees from fire-blight area, sale of, 392.
Bees from the bush, black, 195
Boar, qualities of a herd, 171.
Board of Agriculture, 272
Boils on horses' backs, 194.
Bones from Fiji, introduction of, 333.
Bot-fly, dealing with horse, 60.
Bran, flour, and pollard, maximum prices of, 334.
Branding cattle, 390.
Butter, hard, 134.

C.

Casein, 97, 108.
Calf-rearing: Feeding experiments at Ruakura and Weraroa, 289.
Candied lemon-peel, making, 196.
Carbon bisulphide for rabbit-poisoning, 62.
Cats, failure to rear, 60.
Cattle imported into Argentina, testing for tuberculosis, 388.
Certificate-of-record testing, 21, 65, 218.
Cheese-manufacture, pasteurization in, 5.
Chemical treatment of tree-stumps, 262.
Coccidiosis of poultry: Local occurrence among turkeys, 352.
Concrete water-tanks, 114.
Concrete work, sore hands after, 298.
Condensed milk, 97, 107.
Control of rabbit nuisance, 64.
Control of silver-blight: Hastings and Arataki, 374.
Control of red mite on apple-trees: Tests at Papanui Experimental Orchard, 176.
Cool-air fruit-storage, natural, 166.
Cool-storage, fruit, 10.
Co-operative fruit-variety testing: Tasman and Lower Moutere areas, 178.

Cost of feeding pullets to six months old: Trial at Milton Poultry-station, 371.
Cow with inflammation of head-passages, 262.
Cow with serous abscess on knee, 330.
Cows and soil-deficiency, 134.
Cows, testing of purebred dairy, 21, 65, 218.
Cows with foot trouble, 194.
Cracks between cows' toes, 195.
Cream and milk for factory supply, 144, 220, 302.
Cream-grading, 305.
Cream-separation, 60.
Crops, rotation of: A system for dairy farms, 94.
Cucumbers under glass, 57.
Currants, red and black, 327.

D.

Daily variations in milk-test: Some data from C.O.R. work, 346.
Dairy-farm stock, management of: Wintering stock, 1.
Dairy factories, &c., registrations of, 392.
Diatomaceous and siliceous earths, 208.
Dog with skin trouble, 391.
Dog with split pad, 135.
Dominion Farmers' Institute, 197.
Duroc pigs, 119.

E.

Earths, diatomaceous and siliceous, 208.
Economic investigation of the montane tussock-grassland of New Zealand—
V. Regeneration of grassland after depletion, 82.
VI. Further details regarding the relative palatability for sheep of various pasture-plants, 209.
VII. On the effect of understocking and stocking to its full capacity a certain area, 337.
Ensilage at Weraroa, 288.
Estimated yields of wheat and oat crops, 136.
Eradication of silver-fern, 358.
Europe and America, milk-products in, 97.
Export of apples to Honolulu, 64.
Explosives for hard-pan in orchard 193.

F.

Farm homestead, laying out the, 245.
Farm-school at Ruakura, teachers', 109.
Farm training for demobilized British officers, 271.
Farrowing of pigs, 286.
Feed for young horse, 390.
Feeding of breeding-sows, 333.
Feeding of calves: Experiments at Ruakura and Weraroa, 289.
Feeding pullets to six months old, cost of, 371.
Fern, eradication of silver, 358.
Fern on arable land, eradicating, 331.
Fertilizers, radio-active, and plant-growth, 172.
Fertilizers, importation of, 366.
Field-day at Ashburton experimental area, 119.
Field-day at Weraroa, 117.
Fiji, introduction of bones from, 333.
Fiji, introduction of stock into, 335.
Fire-blight area, sale of bees from, 392.
Fire-blight: A serious disease of fruit-trees, 156.
Fire-blight campaign, the, 181, 252, 317.
Flood-gate, a good type of, 19.
Flour, bran, and pollard, maximum prices of, 334.
Fodder-crop note, a Southland, 377.
Foot-trouble, cows with, 194.
Forage crops for sheep, 59.
Forestry articles, 18.
Forestry practice, phases of, 36.
Forestry report, 1918–19, the State (review), 198.
Formalin treatment for seed potatoes, 332.
Fowls, crossing breeds of, 332.
Freezing works, meat, in New Zealand, 333, 336.
Fruit cool storage: Experiments with apples and pears, 10.
Fruit-export regulations, 200.
Fruit for local consumption, regulations governing sale of New-Zealand-grown, 264.
Fruit industry of North America, the—
Co-operation and standardization, 24.
Points in apple-culture and orchard practice, 110.
Fruit-marketing in New Zealand, 379.
Fruit-storage, natural cool-air, 166.
Fruit trade with North America, 269.
Fruit-trees blossoming out of season, 217.
Fruit-trees, protecting, from rabbits, 195.
Fruit-trees in Central Otago, mortality among, 359.
Fruit-trees, red mite and woolly aphis on nursery: Control tests at Arataki, 250.
Fruit-variety testing, co-operative: Tasman and Lower Moutere areas, 178.

G.

Garden, the (monthly notes), 56, 132, 190, 260, 324, 358.
Geology of limestone, the, 231.
Gooseberries, 326.
Grass-grub and wheat, 263.

H.

Hair, importation of animal, 388.
Hard-pan in orchard, explosives for, 193.
Harvesting field-peas, 332.
Haymaking in the South, 113.
Heifer, self-sucking, 61.
Heifers failing to get in calf, 391.
Hemp-grading store established at Wairoa, 173.
Herb-culture, 345.
Herd-testing associations: The part of the Dairy Division, 174.
Honey, treatment of unripe, 248.
Honeycombs, aluminium, 118.
Honolulu, export of apples to, 64.
Horse-beans for bee-fodder, 331.
Horse, bot-fly, dealing with, 60.
Horse, feed for young, 390.
Horse-feeding, varieties of oats for, 332.
Horse with shoulder trouble, 61.
Horses' backs, boils on, 194.

I.

Imperial requisition of wool, 136.
Importation of animal-hair, 388.
Importation of fertilizers: Annual statistics and review, 366.
Improved wheat-seed, 208.
Inflammation of head-passages, cow with, 262.
Inoculated soil, lucerne and, 345.
Instruction for farmers, wool, 27.
Instruction in pig-keeping, 20.
Interpollination for Delicious apple-trees, 390.

J.

Journal subscription rate, the, 208.
Journal subscriptions, unidentified, 388.

L.

Lambs, segregation of ram, 135.
Land for returned soldiers, 272, 392.
Land in New Zealand, occupation and use of: 1917–18 and 1918–19, 207.
Land, measurement of: Simple directions for farmers, 28.
Lands Commission, Southern Pastoral, 272.
Lantana (*Lantana Camara*), 299.
Lawsoniana shelter-hedge, 61.
Laying out the farm homestead: The horticultural aspect, 245.
Leaf-hopper pest, 262.
Lemon-peel, making candied, 196.
Lemon-trees, fruiting of seedling, 390.
Lime-development, advice to farmers on, 155.
Lime-requirement of New Zealand soils and lime-development, 349.
Lime-requirement, testing for, 351.
Limestone and lime: Mineralogy, testing and sampling, 157.
Limestone resources of New Zealand, the, 198.
Limestone samples, analyses of, 48, 119, 143, 288, 351.
Limestone, the geology of, 231.
Loganberries, 325.
Lower Moutere and Tasman areas: Co-operative fruit-variety testing, 178.
Lucerne and inoculated soil, 345.
Lucerne-crop competition, 143.
Lucerne on river gravel and on coastal sand, 365.
Lucerne, pasturing pigs on, 113.

M.

Mackenzie country, pasture in the, 288.
Management of dairy-farm stock: Wintering stock, 1.
Manawatu district, soils of the, 273.
Mangolds, feeding to cows, 389.
Marrows and pumpkins for storing, 330.
Maximum prices of flour, bran, and pollard, 334.
Meadow top-dressing test at Marton, 369.
Measurement of land: Simple directions for farmers, 28.
Measurement of stacks to find weight of contents, 115.
Meat-freezing works in New Zealand, 333, 336.
Milk and cream for factory supply, 144, 220, 302.
Milking-shed, 145.
Milk-powder, 97, 102.
Milk-products in America and Europe: A recent investigation, 97.
Milk-test, daily variations in, 346.
Montane tussock-grassland of New Zealand, an economic investigation of the, 82, 209, 337.
Mortality among stone-fruit trees in Central Otago, 359.
Mutual Pearl of Rock's latest record, 218.

N.

Natural cool-air fruit-storage: Some American systems, 166.
Nursery fruit-trees, red mite and woolly aphis on, 250.

O.

Oat and wheat crops, estimated yields of, 136.
Oats and wheat, threshings of, 272.
Oats at Weraroa, Garton, 328.
Oats for horse-feeding, varieties of, 332.
Occupation and use of land in New Zealand: 1917–18 and 1918–19, 207.
Officers, farm training for demobilized British, 271.
Ophiobolus graminis Sacc., etiology of, 287.
Opossum question, the, 364.
Opossums and orchards, 333.
Orchard sanitation, 238.
Orchard, the (monthly notes), 49, 124, 181, 252, 317, 379.
Orchard tillage: Implements and their use, 311.

P.

Papanui experimental orchard, red-mite control tests at, 176.
Paspalum-paddock, renovating a, 330.
Paspalum seed, 48.
Pasteurization in cheese-manufacture, 5.
Pastoral Lands Commission, Southern, 272.
Pasture for Geraldine district, 59.
Pasture in the Mackenzie country, 288.
Pasture top-dressing test in Waipukurau County, 310.
Peas, harvesting field, 332.
Pennyroyal, control of, 251.
Perennial sow-thistle, 168.
Phases of forestry practice: Canterbury experiences, 36.
Phylloxera vastatrix: Notice to viticulturists, 335.
Pig-food, potatoes as, 263.
Pig-keeping, instruction in, 20.
Pig-raising notes, 242.
Pigs, Duroc, 119.
Pigs, farrowing of, 286.
Pigs, fattening of, 391.
Pigs on lucerne, pasturing, 113.
Pigs, sunshine for young, 165.
Pigs with protruding back-passages, 196.
Pinus insignis timber for building, 194.
Plum-trees, tests with unfruitful, 9.
Pollard, flour, and bran, maximum prices of, 334.
Potatoes as pig-food, 263.
Potatoes, formalin treatment for seed, 332.
Poultry, coccidiosis of, 352.
Poultry for breeding purposes, utility (price list), 64.
Poultry, growing silver-beet for, 60.
Poultry-keeping (monthly notes), 52, 127, 184, 255, 320, 382.
Poultry on the farm, 120.
Pullets, cost of feeding to six months old, 371.
Pumpkins and marrows for storing, 330.
Purchase and sale of wheat, 270.

Q.

Qualities of a herd boar, 171.

R.

Rabbit nuisance, control of, 64.
Rabbit-poisoning, carbon bisulphide for, 62.
Rabbits, protecting fruit-trees from, 195.
Radio-active fertilizers and plant-growth, 172.
Ram lambs, segregation of, 135.
Raspberries, 326.
Red mite and woolly aphis on nursery fruit-trees: Control tests at Arataki, 250.
Red mite on apple-trees, control of, 176.
Red spider and strawberry-beds, 389.
Registrations of factories, &c., under the Dairy Industry Act, 392.
Regulations governing sale of New-Zealand-grown fruit for local consumption 264.
Renovating a paspalum-paddock, 330.
Review of C.O.R. system in 1919, 65.
Reviews and notices—
The limestone resources of New Zealand, 198.
The State forestry report, 1918–19, 198.
Ringworm in young cattle, 193.
Rotation of crops: A system for dairy farms, 94.
Ruakura calf-rearing tests, 292.
Ruakura sale of pedigree stock, 309.

S.

Sale and purchase of wheat, 270.
Sale of pedigree stock, Ruakura, 309.
Sand-dunes, Manawatu district, 273.
Sand, lucerne on coastal, 365.

Sanitation, orchard, 238.
Shelter-trees for Hawera district, 135.
Shows, forthcoming agricultural, 35, 133, 196, 263, 333, 388.
Siliceous and diatomaceous earths, 208.
Silver-beet for poultry, growing, 60.
Silver-blight, control of: Experiments at Hastings and Arataki, 374.
Silver-fern, eradication of, 358.
Soil-deficiency, cows and, 134.
Soils, lime-requirement of New Zealand, 349.
Soils of the Manawatu district: The sand-dunes, 273.
Soldiers, land for returned, 272, 392.
Sore hands after concrete-work, 298.
Southern Pastoral Lands Commission, 272.
Sow-thistle, perennial, 168.
Sows, feeding of breeding, 333.
Stacks, measurement of to find weight of contents, 115.
State forestry report, 1918-19, the, 198.
Stock and tutu, 59.
Stock, introduction of into Fiji, 335.
Stone-fruit trees in Central Otago, mortality among, 395.
Storage, fruit cool, 10.
Storage of apples, home, 134.
Storing marrows and pumpkins, 330.
Strawberries, 328.
Strawberry-beds, red spider and, 389.
Subscription rate, the *Journal*, 208.
Subscriptions, unidentified *Journal*, 388.
Sugar-supply for beekeepers, 258.
Sugar of milk, 97, 106.
Sunshine for young pigs, 165.

T.

Tagasaste shelter fence, 135.
Take-all disease in wheat—
Incidence in New Zealand, 137.
Etiology of *Ophiobolus graminis* Sacc., 287.
Tasman and Lower Moutere areas: Co-operative fruit-variety testing, 178.
Teachers' farm school at Ruakura, 109.
Testing for tuberculosis of cattle imported into Argentina, 388.
Testing of purebred dairy cows, 21, 65, 218.
Tests with unfruitful plum-trees, 9.
Threshings of wheat and oats, 272.
Tillage, orchard, 311.
Top-dressing test at Marton, meadow, 369.
Top-dressing test in Waipukurau County, pasture, 310.
Treatment of unripe honey: Successful experiments in vacuum boiling, 248.
Tree-stumps, chemical treatment of, 262.
Tuberculosis of cattle imported into Argentina, testing for, 388.
Turkeys, coccidiosis among, 352.
Tussock-grassland of New Zealand, an economic investigation of the montane, 82, 209, 337.
Tutu, stock and, 59.
Tutu on montane tussock-grassland, 340.

U.

Unripe honey, treatment of, 248.

V.

Vaginitis of cows, granular, 331.
Variations in milk-test, daily, 346.
Viticulture (monthly notes), 55, 131, 187, 258, 323.

W.

Waipukurau County, pasture top-dressing test in, 310.
Warts on cows' teats, 331.
Water-tanks, concrete, 114.
Weeds and their identification—
Perennial sow-thistle, 168.
Lantana Camara, 299.
Weraroa calf-rearing tests, 296.
Wheat and oat crops, estimated yields of, 136.
Wheat and oats, threshings of, 272.
Wheat crop, the ensuing year's, 271.
Wheat, sale and purchase of, 270.
Wheat-seed, improved, 208.
Wheat, take-all disease in, 137, 287.
Wheats, best stand-up, 193.
Wintering dairy-stock, 1.
Wool, Imperial requisition of, 136.
Wool instruction for farmers, 27.
Woolly aphis and red mite on nursery fruit-trees: Control tests at Arataki, 250.
Woolly aphis control: Experiments at Arataki, 372.
Work for the coming month, 49, 124, 181, 252, 317, 379.

ILLUSTRATIONS.

Page

Pasteurization in cheese-manufacture: Twin pasteurizing plant in a Taranaki cheese-factory .. 7
A good type of flood-gate—
Bank end of large flood-gate .. 19
Small flood-gate .. 20
Measurement of land: Simple directions for farmers—
Metal cross-staff head .. 28
Cross-staff made of wood .. 29
Diagram of field built up as the survey proceeds .. 29
Example of survey of irregular field .. 29
Scale or measure .. 30
Set-square .. 32
Plan not giving measurements .. 33
Method of calculating area of previous figure .. 33
Overcoming obstacle in measuring .. 33
Finding the breadth of a river .. 34
Phases of forestry practice: Canterbury experiences— ..
One of the Selwyn Board's gum plantations (30 years old) before thinning 43
The same plantation after thinning .. 43
Testing of purebred dairy cows—
Burkeyje Sylvia Posch .. 69
Inka Sylvia Beets Posch .. 69
Sultan's Daisy .. 73
Campanile's Sultan .. 73
Dominion Empress V .. 75
An economic investigation of the montane tussock-grassland of New Zealand: Regeneration of grassland after depletion—
Depleted hillside ground in Dunstan Gorge, outside orchard area described 85
Regenerated grassland in orchard enclosure .. 85
Another view of same regenerated area .. 85
View of interior and exterior of Earnscleugh experimental area in 1911 87
Recent view in Earnscleugh experimental area, facing south .. 87
In the Omarama experimental tree-planting area .. 89
Boundary of Omarama experimental tree-planting area .. 89
Regeneration in the experimental tree-planting area on the Sugarloaf, Lowburn Ferry .. 91
Bluegrass tussock growing on scabweed in Sugarloaf tree-planting area 91
Regenerated area on Cromwell Development Company's land .. 93
Part of same area as in previous figure, but on flattish ground fully exposed to the sun .. 93
The fruit industry of North America: Esopus Spitzenberg tree, fourteen years old, Flood River, Oregon .. 111
Measurement of stacks to find weight of contents: Oblong or square stack and round stack .. 116
Rye corn for thatching at Ruakura .. 117
Aluminium honeycomb used at Tauranga apiary .. 118
New South Wales State Orchestra at Ruakura .. 123
Take-all disease in wheat— ..
Wheat-plants affected by take-all .. 139
Part of left-hand stem in previous figure, magnified 10 diameters .. 139
Diagrams of fungus *Ophiobolus graminis* .. 141
Milk and cream for factory supply: Plan of run-through milking-shed, separator-room, engine-room, and yards .. 148
Weeds and their identification: Perennial sow-thistle (*Sonchus arvensis*) .. 169
Returned soldiers' quarters and some of the milking Shorthorn herd at Ruakura Farm of Instruction .. 180
The Dominion Farmers' Institute, Wellington .. 197
Fruit export regulations: A package of three trays strapped .. 205

An economic investigation of the montane tussock-grassland of New Zealand: Further details regarding the relative palatability for sheep of various pasture-plants—

Page

General view of Conical Hill, showing the amount of ground occupied by trees 210
A pure stand of sweet-vernal grass on the hill 210
View of small piece of lower pasture of Conical Hill, showing the close grazing of the cocksfoot between the tussocks 212
The closely grazed meadow-grass (*Poa pratensis*) on the summit of the hill 212
General view of the southern tussock-clad (*Festuca novae-zelandiae*) slope of Conical Hill 214
Ground on the hill occupied by unpalatable plants 214
Poa-tussock (*Poa caespitosa*) on Conical Hill remaining uneaten after heavy stocking 216
Blue-tussock and fescue-tussock on the hill 216
Testing of purebred dairy cows: Mutual Pearl of Rock 218
Milk and cream for factory supply—
An improved type of milk-strainer 224
Another good type of milk-strainer 224
Circular pattern of milk-strainer, with removable disks 224
Metal plunger for stirring milk or cream 225
Horizontal type of cooler for hand separator 228
Small circular cooler for large separator 228
Harvesting Bobs wheat at Ruakura 251
Soils of the Manawatu district: The sand-dunes—
Waikanae beach (looking south) 275
Same spot as previous figure, but looking north 275
Humus-making raupo (*Typha angustifolia*) swamp, Waikanae .. 277
Semi-stabilized dune, Waikanae, being fixed by lupins and wild convolvulus (*Calystegia soldanella*) 277
Semi-stabilized and stabilized dunes—the latter either pasture or dune heath 279
Dune forest, Waikanae 283
Calf-rearing: Feeding experiments at Ruakura and Weraroa—
Ruakura groups 1 and 2 290
Ruakura groups 3 and 4 291
Weraroa groups 1 and 2 294
Weraroa groups 3 and 4 295
The test-calves at Ruakura bailed up for feeding 297
Rear view of same, showing concrete yard 297
Weeds and their identification: *Lantana Camara* 300
Orchard tillage: Implements and their use—
Single-furrow Harvey plough turning furrow from the trees .. 312
Front view of single furrow Harvey plough, showing side hitch .. 312
Front view of Planet Jr. scarifier No. 41, showing how team is attached by side hitch 313
Rear view of Planet Jr. scarifier No. 41, showing method of attaching harrow to counteract side draught 313
Planet Jr. No. 8, fitted as a nine-tooth machine, scarifying close up to six-year-old trees 315
Showing construction of Planet Jr. scarifier No. 8 fitted as a nine-tooth machine 315
A recent street-window display of New Zealand wool and woollens at the office of the High Commissioner, London 329
An economic investigation of the montane tussock-grassland of New Zealand: On the effect of understocking and stocking to its full capacity a certain area—
General view of the area on Little Mount Peel 339
Close view of vegetation on opposite sides of the fence 339
Tall tussock-grassland of Little Mount Peel at 2,320 ft. altitude .. 341
View of some of the lightly grazed vegetation, showing abundance of tutu 341
View on the lightly stocked area on shady side, showing a good deal of mountain flax 343
View of both areas near summit of the ridge 343
View of small piece of the heavily grazed pasture 344
Coccidiosis of poultry: Oocysts from chicken, after incubation at 75° to 80 353
Lucerne growing on gravel in bed of Flaxbourne River 365
A Southland fodder-crop note: Harvesting the crop at Kamahi 378